

```

1  $PROBLEM ONE COMPARTMENT ORAL MIXED ORDER ABSORPTION          ;DATE = 6/2/04 PROGRAMMER=XXXX
2                                                                ;Units: Time=hr,
3                                                                ;Concentration=ug/ml,
4                                                                ;Dose = 100mg and 250mg
5
6  $DATA KOKAEST_CRSO.CSV IGNORE=C
7
8  $INPUT ID TIME CONC=DV AMT CMT RATE EVID OCC MDV
9  ;RATE = -2 in the data file means that the duration for zero order input will be mentioned
10 ;in the controlstream
11
12 $SUBROUTINE ADVAN2 TRANS2
13
14 $PK
15   OC1=0
16   IF(OCC.EQ.1)OC1=1
17   OC2=0
18   IF(OCC.EQ.2)OC2=1
19
20   BOVCL = ETA(7)*OC1+ETA(8)*OC2
21   BOVV  = ETA(9)*OC1+ETA(10)*OC2
22
23   POPCL = THETA(1)
24   POPV  = THETA(2)
25   POPKA = THETA(3)
26   POPDUR = THETA(4)
27   POPLAG = THETA(5)
28   POPFKA = THETA(6)
29
30   CL    = POPCL*EXP(ETA(1)+BOVCL)      ;CL/F in L/hr
31   V     = POPV*EXP(ETA(2)+BOVV)       ;V/F in L
32   KA    = POPKA*EXP(ETA(3))           ;Absorption rate constant
33   D2    = POPDUR*EXP(ETA(4))          ;Duration of zero order input
34   ALAG1 = POPLAG*EXP(ETA(5))          ;Lag time after which first order absorption starts
35   F1    = POPFKA*EXP(ETA(6))          ;Fraction of dose absorbed by first order process
36   F2    = 1-F1
37
38   S2 = V                               ;Scaling factor
39
40
41 $ERROR
42   IPRED=F
43   Y=F+F*ERRCV+ERRSD                   ;Additive and proportional residual error model
44
45
46 $THETA (0.01,1)      ;POPCL/F
47 $THETA (0.1,10)     ;POPV/F
48 $THETA (0.1,3)      ;POPKA
49 $THETA (0.1,1)      ;POPD2
50 $THETA (0.1,2)      ;POPALAG2
51 $THETA (0.01,0.3,1) ;POPFka
52
53
54 $OMEGA 0.09          ;BSVCL
55 $OMEGA 0.09          ;BSVV
56 $OMEGA 0.09          ;BSVKA
57 $OMEGA 0.04          ;BSVD2
58 $OMEGA 0.04          ;BSVALAG2
59 $OMEGA 0.01          ;BSVFka
60 $OMEGA BLOCK(1) 0.09 ;BOVCL occ=1
61 $OMEGA BLOCK(1) SAME ;BOVCL occ=2
62 $OMEGA BLOCK(1) 0.09 ;BOVV occ=1
63 $OMEGA BLOCK(1) SAME ;BOVV occ=2
64
65
66 $SIGMA
67   0.002              ;ERRCV
68   1                  ;ERRSD
69
70 $ESTIMATION METHOD=0 MAXEVAL=9999 PRINT=5 POSTHOC
71 $COVARIANCE

```

```
72  
73 $TABLE ID TIME DV IPRED  
74 NOPRINT ONEHEADER FILE=KOKAEST_crso.fit  
75  
76
```